Insects of Gunung Ledang, Johor, Malaysia

Authors:

Maryati Mohamed¹, Maricel Cuevas David², Fadhil Ahmad Rajini³ **Email:**


maryati@uthm.edu.my1

Abstract: This book starts with an introductory overview of insects and entomotourism potential as new type of nature tourism in Gunung Ledang, Johor, Malaysia. The book is divided into four chapters from ganeral information of common group of insect until orders to species name (if posible) of insects. This book is suitable for those who are interested in learning about insect in general.

Keywords: Food, feeding, digestion, insects









MARYATI MOHAMED MARICEL CUEVAS DAVID FADHIL AHMAD RAJINI



© Penerbit UTHM First Published 2017

Copyright reserved. Reproduction of any articles, illustrations and content of this book in any form be it electronic, mechanical photocopy, recording or any other form without any prior written permission from The Publisher's Office of Universiti Tun Hussein Onn Malaysia, Parit Raja, Batu Pahat, Johor is prohibited. Any negotiations are subjected to calculations of royalty and honorarium.

Perpustakaan Negara Malaysia Cataloguing—in—Publication Data

Maryati Mohamed

595.70959511911

INSECTS of Gunung Ledang, Johor, Malaysia / [Maryati Mohamed, Maricel Cuevas David, Fadhil Ahmad Rajini].
Includes index Bibliography: page 87
ISBN 978-967-2110-07-1

1. Insects--Malaysia--Gunung Ledang (Johor)--Identification. 2.
Insects- Ecology--Malaysia--Gunung Ledang (Johor). 3. Insect communities--Malaysia--Gunung Ledang (Johor). 4. Mountains--Malaysia--Gunung Ledang (Johor). 5. Ecotourism--Malaysia--Gunung Ledang (Johor). 6. Gunung Ledang (Johor, Malaysia). I. Cuevas David, Maricel, II. Fadhil Ahmad Rajini.
III. Title.

Published by: Penerbit UTHM Universiti Tun Hussein Onn Malaysia 86400 Parit Raja, Batu Pahat, Johor Tel: 07-453 8529 Fax: 07-453 6145

Website: http://penerbit.uthm.edu.my E-mail: pt@uthm.edu.my http://e-bookstore.uthm.edu.my

Penerbit UTHM is a member of Majlis Penerbitan Ilmiah Malaysia (MAPIM)

Printed by: Percetakan Surya Sdn. Bhd. Plot 29, Jalan IKS BK 2, Taman IKS Bukit Katil, 75450 Bukit Katil, Melaka. Tel: 06-2324475

Fax: 06-2324960

CONTENTS

Preface	VII
ACKNOWLEDGEMENTS	ix
CHAPTER ONE Introduction	1
CHAPTER TWO Food, Feeding and Digestion	11
CHAPTER THREE Importance of Insects	15
CHAPTER FOUR Common Insects Found in Ledang	19
Bibliography	87
Index	03



PREFACE

Insect is the most diverse organisms on earth and can be found on land and in freshwater. They are unique animals, strange and have many admirable characteristics which cannot be seen in other organisms. Insects are beneficial to man ecologically and economically.

This book is written with the intention to provide information on insects of Gunung Ledang, their importance, significance and functions to our ecosystem. Since Gunung Ledang is a national park and one of the tourist destinations in Johor as well as in Malaysia, we believe that this book will serve as a guideline to promote insect as a tourism product in Gunung Ledang, Johor, Malaysia.

Common insect groups herein described are those found along trails used by tourists in Gunung Ledang. Since ants were found to be most common, they are described first. Simply presented, this book aims to educate young readers with interest on insects. With basic information provided, we hope readers would then be encouraged to make effort to learn the importance of insects and eventually participate in their conservation.

Under the memorandum of understanding signed in 2010, UTHM has been continuously doing research in Gunung Ledang. This means more information would be available in the near future to improve this book. Meanwhile, we hope this book will be useful to create awareness to readers on the richness of insects of Gunung Ledang, realized their importance and learn to appreciate them. Happy reading.



ACKNOWLEDGEMENT

First of all, we would like to thank the Almighty God for all the blessing that He has given us, especially the opportunity to write this book.

We would like to thank Perbadanan Taman Negara Johor (PTNJ) or the Johor National Parks Corporation for granting us the permission to conduct the research at Gunung Ledang, National Parks. We also like to thank all the JNPC staff who helped us during the fieldwork.

To confirm identification of common insects of Gunung Ledang insect samples were cross referred to those in Pusat Sistematik Serangga, Universiti Kebangsaan Malaysia (UKM). Thank you to Prof. Dr. Idris Ghani, Dr. C.Y. Choong and the members of the centre for allowing and assisting us to use the facility and expertise.

To all the photograph contributors we also express our deepest gratitude and appreciation: Ms Norradihah Ismail, Flexee Dammay Aurelio, Mr Federick Ho, Jeffrey Tan, UTHM photographer and to the owner of photographs from Google we thank you so much.

Special thanks to Anabel Cailao Cuevas for helping us catching and collecting the insects of Gunung Ledang. And to Associate Professor Dr. Alona Cuevas Linatoc thanks for all the support.

Deepest gratitude and appreciation goes to Universiti Tun Hussein Onn Malaysia (UTHM) which has supported this research through UTHM Postgraduate Scholarship for Maricel Cuevas David.



CHAPTER I INTRODUCTION

Insects are among the most successful and the most diverse living creatures on this earth. They readily intrigued anyone with the slightest interest in the natural world (Picker *et al.*, 2004).

Insect is a group of organisms that contributes most to the rich biodiversity in Malaysia and the world. There could be more than a million species of insects worldwide that have been described and the number is constantly increasing (Maryati, 2000). Records of insect estimation show that there are 100,000 species of beetles (Thiessen, 2012), 28,000 species of butterflies (Islam *et al.*, 2011), 3,000 species of phasmids (Australian Museum, 2013), 2,500 species of cicadas (Sueur *et al.*, 2009), 5,500 species of dragonflies (Abbott, 2005), 2,600 species of termites (Ahmed *et al.*, 2011), and more than 12,000 species of ants reported worldwide with further expected numbers of species up to 22,000 (Umair *et al.*, 2012).

In Malaysia, MONRE (2007), estimated 150,000 invertebrates have been identified and most of them are insects. Insect is not only species rich but is generally abundant and a potential conspicuous tourism product. Hence, high diversity of insects, in Malaysia is something to be proud of and is of potential significance in promoting nature tourism particularly **Entomotourism**.

Entomotourism or also known as insect tourism is not a totally new idea in Malaysia. Several butterfly farms have been established around the country, including in Kuala Lumpur, in Penang, and in Sabah. The Cameron Highlands is known as the butterfly capital of Malaysia (Eliot and Bickersteth, 2002). Perhaps another common insect that has attracted people is the fireflies. People has been engaged in tourism of firefly in sites such as Kuala Selangor, in Selangor and along Sungai Garama in Beaufort, Sabah.



CHAPTER 2 FOOD, FEEDING AND DIGESTION

All insects need food and water to grow successfully. Food preference depends on kind of insects. Finding and recognition of such foods involves various mechanisms which are also depending on the insect groups and its particular mode of life. Feeding and ingestion involve modification of the mouthparts and physiological adaptations (Yadav, 2003).

2.0 Feeding Types of Insects

- **2.1 Phytophagous** insects are plant-eaters that feed on variety of plant parts such as flowers, seeds, or leaves or may eat inside the plants' tissues (McGavin, 2000), In addition, nearly half of the phytophagous insects are able to feed on roots, stems, woody parts, buds, flowers and fruits (Yadav, 2003). The group of phytophagous insects are:
 - a) Orthroptera (grasshoppers, locust, katydids and crickets)
 - b) Lepidoptera (butterflies and moths larvae)
 - c) Homoptera (bugs, leafhoppers, planthoppers, spittle bugs, treehoppers, aphids, jumping plant lice, scale insects and whiteflies)
 - d) Thysanoptera (thrips)
 - e) Phasmatodea (phasmids, stick-insects or walking stick insects)
 - f) Blattodea (termites)
 - g) Coleoptera (plant eating families of beetles like Cerambycidae, Chrysomelidae and Curculionidae)
 - h) Hymenoptera (symphyta or sawflies)
 - i) Diptera (some flies)





CHAPTER 3 IMPORTANCE OF INSECTS

Insect is common to everyone and occur everywhere in the world (Howarth and Mull, 1992) except in the polar region and in the oceans (Powell and Hogue, 1980). In every ecological horizon on land and fresh water, insects live in great abundance like in soil, where many feed on decaying organic matter or on plant's roots; low-growing plants such as ferns and mosses; on or in the trunks of shrubs and trees; and on foliage, seeds of flowering plants or flower (Powell and Hogue, 1980).

Insect is a group of organism that contributes most to the rich biodiversity in Malaysia. There are more than a million species of insects worldwide that have been identified and the number is constantly increasing (Maryati, 2000).

At the present time about 1,500,000 species of animal are known, and of these more than 800,000 are insects. The number of individuals of common species that occur is swarms of ants, termites, locusts, and the like can number several thousands of individuals. Hence, on a global basis these populations add up to astronomical numbers.

Insects should not be seen as useless or nuisance creatures because they contribute to the human enterprise in many and different ways (Wagner *et al.*, 2008). Every species of insects has ecological role like pollinator, agent of nutrient cycling, and natural enemies (Wagner *et al.*, 2008).

Insects play an important role in the decomposition and recycling of dead plants, dead animals, and excrement. Thereby, helping to return minerals to the soil and helping to keep balance of atmospheric ratio of gases (Waldbauer, 2001).



INSECT.indd 15 03/08/2017 11:35 AM

CHAPTER 4 COMMON INSECTS FOUND IN LEDANG

The common group of insects found in Gunung Ledang were ants, termites, butterflies, dragonflies, damselflies, beetles, cicadas and moths.

Ants are the most visible and abundance insects found in Gunung Ledang regardless of seasons and time. Ants can be found everywhere in Gunung Ledang in different habitats such as leaf-litter, tree trunks, tree leaves and tourist walking trails. Ants are also the most abundant animal groups in tropical rain forest and ants occupy approximately one-third of the total biomass of all insects (Yamane *et al.*, 1996).

Termites in Gunung Ledang are commonly found marching in along the tourist trails during their foraging time. Some are also found in leaf-litter, tree trunks, dead wood, rocks and soil. Termites are highly social insects that feed exclusively on plant material and living colonies. Termites occur in vast numbers in tropical regions. In addition termites nest in soil, mound and trees or logs.

Butterflies in Gunung Ledang are commonly found near the flowering trees and plants where they can suck nectar. Butterflies are also found in different habitats and various types of forest such as natural forest, disturbed forest, and moderately forest.

Dragonflies and damselflies in Gunung Ledang are most visible near water bodies and in the open area. According to Orr (2003), the adults are encountered either when feeding, often far from their breeding places, or at the breeding sites, usually near water, where they mate and lay their eggs. Moreover, odonates are easy

INSECT.indd 19 03/08/2017 11:35 AM



BIBLIOGRAPHY

- Abbott, J.C. (2005). *Dragonflies and Damselflies of Texas and the South-Central United States*. Retrieved July 9, 2013, from http://press.princeton.edu/chapters/i7940.pdf
- Ahmed (Shiday), B.M., Nkunika, P.O.Y., Sileshi, G.W., French, J.R.J., Nyeko, P., & Jain, S. (2011). Potential Impact of Climate Change on Termite Distribution in Africa. *British Journal of Environment and Climate Change*, 1(4): 172-189
- Asean Biodiversity. (2008). Biodiversity and Climate Change. *Dolmar Press, Inc. vol. 7. no.* (2).
- Australian Museum. (2013). Care of Stick Insects. Retrieved July 9, 2013, from http://australianmuseum.net.au/Care-of-Stick-Insects
- Baird, E., Byrne, M.J, Smolka, J, Warrant, E.J., and Dacke, M. (2012). The Dung Beetle Dance: An Orientation Behaviour? *PLoS One7(1):e30211.dol:10.1371/journal. pone.0030211.*
- Bignell, D.E. (2010). *Biology of Termites: A Modern Synthesis*. Springer. New York.
- Burton, M. and Burton, R. (2002). International Wildlife Encyclopedia, 3rd Edition. Marshall Cavendish. *Malaysia*
- Cavendish, M., (2000). Exploring Life Science: Bats cave life. Exploring Life Science. Vol. 2. Marshall Cavendish Corporation. New York.
- Capinera, J. L. (2010). *Insects and Wildlife: Arthropods and Their Relationships with Wild Vertebrate Animals*. Wiley-Blackwell. Singapore.
- Chuanhui, Y.I., Qiuju, H.E., Lin, W., & Rongping, K. (2010). The Utilization of Insect-resources in Chinese Rural Area. *Journal of Agriculture Science. Vol. 2(3)*.

INSECT.indd 87 03/08/2017 11:36 AM

INSECTS OF GUNUNG LEDANG JOHOR, MALAYSIA

- Cranshaw, W. and Kondratieff, B. (2006). *Guide to Colorado Insects*. Westcliffe. China.
- Darwin, C. (2004). Decent of man and Selection in Relation to Sex. Barnes and Noble. United State of America.
- Dawood, M.M., and Nakanishi, A. (2004). *Lepidoptera (Butterflies and Moths)*. in Maryati, M., Rahman, H., Tachi, T., & Dawood, M.M. (Ed.). Introduction to Entomology. Sabah, Malaysia
- Ding, Z., Zhao, Y. & Gao, X. (2010). *Medicinal insects in China. Ecological of Food and Nutrition*. Vol. (36), pp.209-220. China.
- Dossey, A.T. (2011). Chemical Defenses of Insects: A Rich Resources for Chemical Biology in the Tropics. in Vivanco, J.M. & Weir, T. (Eds.). *Chemical Biology of the Tropics: An Interdisciplinary Approach*. Springer. New York.
- Eliot, J. & Bickersteth, J. (2002). *Malaysia Handbook: The Travel Guide*. London: Footprint Handbook.
- Evans, A. V., Bellany, C. L. and Watson, C.L. (2000). *An Inordinate Fondness for Beetles*. University of California Press. London England.
- Evans, A.V. and Hogue J.N. (2006). *Field Guides to Beetles of California*. The Regents University of California Press. China.
- Gullan, P.J., & Cranston, P.S. (2010). *The Insects: An Outline of Entomology.* 3rd (ed.). Wiley-Blackwell. Malaysia.
- Hausler, T. (2008). *Viruses vs. Superbugs: A Solution to the antibiotics Crisis?*. Paperback. China.
- Hepper, J.B, (2008). Moths (Lepidoptera: Heterocera). in Capinera, J.L. (Ed.). Encyclopedia of Entomology, 2nd Edition. Springer. United States of America.
- Hill, D.S. (1997). *The economic importance of insects*. 1st (ed.) Chapman and Hall. London.
- Holland, W.J. (2003). The Field guide of Butterflies. Daniel, S., Southby, C.A., and Southy, D.T. Sterling Publishing. China.
- Holldobler, B. & Wilson E.O. (1990). *The Ants*. Harvard University Press. United States of America.

NSECT.indd 88 03/08/2017 11:36 AM







- Holldobler, B. and Wilson E.O. (1994). *Journey to the ants: a story of scientific exploration*. Harvard University Press. United States of America.
- Howarth, F.G. & Mull, W.P. (1992). *Hawaiian insects and their Kin*. University of Hawaii Press. Singapore.
- Islam, A T M F., Islam, M.H., Saifullah, A S M., Endo, K. & Yamanaka, A. (2011). New records of butterflies and their species diversity in four different areas of Savar, Dhaka, Bangladesh. *University Journal of Zoology, Rajshahi University.* 30:9-15
- Johor National Parks Corporation (JNPC). (2012). *Your guide to National Parks of Johor.*
- Jones, S. (2010). *Insects of Cornwall and Isles of Scilly*. Alison Hodge. China.
- Kattes, D.H. (2009). *Insect of Texas: A Practical Guide*. Texas A&M University Press. *China*
- Kelly, M. (2012). Bugs. Miles Kelly. China.
- König, H. and Varma, A. (2006). *Intestinal Microorganisms of Termites and Other Invertebrates*. Soil Biology. Springer-Verlag Berlin Heidelberg. Germany.
- Latham, A. (2006). *The Naked Emperor:Darwinism Exposed*. Janus Publishing. Great Britain.
- Lemelin, H. (2009). *Goodwill hunting: dragon hunters, dragonflies* and leisure. Current Issues in Tourism, 12:5-6, 553-571
- Lrhane, M.J. (2005). *The Biology of Blood Sucking in Insects.*Cambridge University press. United States of America.
- Majerus, M.E.N. (2005). The Peppered moth: decline of a Darwinian disciple. *Insect Evolutionary Ecology.* (Eds.) M. D. E. Fellowes, G. J. Holloway & J. Rolff. pp. 371–396. CABI Publishing. *Wallingford, United Kingdom.*
- Manolis, T. (2003). *Dragonflies and damselflies of California*. Regents of the University of California. London England.
- Maryati Mohamed. (2000). *Entotourism*. Universiti Sabah Malaysia. (Unpublished).
- Maryati, M. (2004). Identification guide to the ant subfamily of

89

INSECT.indd 89 03/08/2017 11:36 AM

INSECTS OF GUNUNG LEDANG JOHOR, MALAYSIA

- Borneo. in Maryati, M., Rahman, H., Tachi, T., & Dawood, M.M. (Ed.). *Introduction to Entomology*. Sabah, Malaysia.
- Maryati, M., Azrie, A., Nordin, W. and Zaidi, M.I. (2003). *Cicadas* (HOMOPTERA: CICADOIDAE) of Kayan Mentarang National Park. in Mardiastuti, A. and Soehartono, T. (Eds.). Ministry of Forestry-WWF. Jakarta, Indonesia.
- McGavin, G.C. (2000). *Insects, Spiders and Other Terrestrial Arthropods*. Dorling Kindersley. China.
- Ministry of Natural Resources and Environment (MONRE). (2007). Biodiversity in Malaysia. 2nd ed.
- National Research Council: United States (2007). Status of Pollinators in North America. National Research Council. United States of America.
- O'cannor-marer, P., Marer, J.P., and Flint, M.L., (2006). Residential and Pest Control. 2nd (ed.). *The Regents of the University of California Agriculture and Natural Resources*. Canada
- Ooi, P.A.C. (1994). *Insects in Malaysian Agriculture*. Tropical Press. Kuala Lumpur Malaysia.
- Ooi, Peter. A.C., (1998). *Insects in Malaysian Agriculture*. Tropical Press. Kuala Lumpur, Malaysia.
- Orr, A. and Kitching R. (2011). *The Butterflies of Australia*. Allen and Unwin. Australia.
- Orr, A.G. (2003). *A guide to the Dragonflies of Borneo*. Natural History Publications (Borneo). Malaysia.
- Petrie, K. (2008). *Bugs Ants*. ABDO Publishing Company. United States of America.
- Picker, M., Griffiths, C., and Weaving, A. (2004). Field Guide to Insects of South Africa. Struik Publishers. South Africa.
- Pfeiffer, M., & Linsenmair, K. L. (2001). *Territoriality in the Malaysian giant ant Camponotus gigas (Hymenoptera/Formicidae*). Japan Ethological Society and Springer. Tokyo.
- Powell, J. A. & Hogue, C. L. (1980). *California Insects*. University of California Press. United States of America.

90
INSECT.indd 90
03/08/2017 11:36 AM







- Robiatol, M.A. and Rahman, H. (2004). Odonata (Dragonflies and Damselflies). in Maryati, M., Rahman, H., Tachi, T., & Dawood, M.M. (Ed.). *Introduction to Entomology.* Sabah, Malaysia.
- Rye, E.C. (1866). *British Beetles: an introduction to the study of our indigenous Coleoptera*. Taylor. London.
- Samways, M.J. (2008). *Dragonflies and damselflies of South Africa*. Pensoft Publisher. Bulgaria.
- Samways, M.J. (2008). *Dragonflies and damselflies of South Africa*. Pensoft. Bulgaria.
- Saunders, D.S. (2002). *Insect Clock.* 3rd Edition. Elsevier Science B.V. Amsterdam. The Netherlands.
- Schilthuizen, M. (2004). *Coleoptera (Beetles)*. in Maryati, M., Rahman, H., Tachi, T., & Dawood, M.M. (Ed.). Introduction to Entomology. Sabah, Malaysia.
- Shen, L., Li, D., Feng, F. and Ren, Y. (2005). Nutritional composition of Polyrhachis vicina Roger (Edible Chinese black ant). *Songklanakarin J. Sci. Technol.*, 2006, 28(1): 107-114.
- Singh, R. (2007). *Elements of Entomology*. First Edition. Rakesh Kumar Rastogi. India.
- Siti Khairiyah, M.H.; Usman, S.; Suzita, Y.; Florinsiah, L.; Nur Shahirah, N. (2013). The effect of elevations on diversity and abundance of class insecta at Taman Negara Gunung Ledang, Johor. *Business Engineering and Industrial Applications Colloquium (BEIAC)*.
- Spencer, L.A., Pyle, R.M. and Simons, D.R. (2006). *Arkansas butterflies and moths*. University of Arkansas Press. China.
- Sueur, J., Windmill, J.F.C., & Robert, D. (2009). Sound emission and reception tuning in three cicada species sharing the same habitat. Acoustical Society of America. pp. 1681-1688.
- Thiessen, T. (2012). *Borneo: Sabah Brunei Sarawak*. 2nd ed. The Globe Pequot Press Inc. India.
- Troller, J.A. (1983). Sanitation in Food Processing. (Food Science and Technology: A Series of Monographs). Academic Press, Inc. United States of America

INSECT.indd 91 (a) 03/08/2017 11:36 AM

INSECTS OF GUNUNG LEDANG JOHOR, MALAYSIA

- Umair, M., Zia, A., Naeem, M. and Chadhry, M.T. (2012). Species composition of ants (Hymenoptera: Formicidae) in Potohar Plateau of Punjab Province, Pakistan. Pakistan *Journal of Zoology*, vol. 44(3):699-705.
- Wagner, M.R., Bosu, P.P. & Cobbinah, J.R. (2008). Forest Entomology in West Tropical Africa: Forest Insects of Ghana. Springer. Netherlands.
- Waldbauer, G. (2001). *Millions of monarchs, bunches of beetles:* how bugs find strength in numbers. Harvard University Press. United States of America
- Weisser, W.W., & Siemann, E. (2007). *The Various Effects of Insects on Ecosystem Functioning*. in Weisser, W.W., & Siemann, E. (Ed.). Insects and Ecosystem Function. Ecological Studies, vol. (173). Springer. Germany.
- West-Eberhard, M. (2003). *Developmental Plasticity and Evolution*. Oxford University Press. United States of America
- Wheeler, W.M. (2011). Ants: Their Structure Development and Behavior. Columbia University Press. United States of America.
- Yadav, M. (2003). *Physiology of Insects*. Discovery Publishing House. India.
- Yamane, Sk., Itino, T. & Nona. A.R. (1996). Ground Ant Fauna in a Bornean Dipterocarp Forest. Retrieved October 29, 2013, from p. 253-262 at http://rmbr.nus.edu.sg/rbz/biblio/44/44rbz253-262.pdf
- Zabludoff, M. (2008). *Beetles Animal Ways*. Marshall Cavendish. Malaysia

92

INSECT.indd 92

03/08/2017 11:36 AM